

Product Catalogue



Engineered Poly Products

Welcome

A NEW NAME. A NEW IDENTITY.

On 1st July 2016, Rapid Plastics changed its name and brand identity to one that we believe more accurately reflects our values and a dynamic company of today. After all, since our inception the industry has changed and so have we. Our new name COERCO and new identity represent the contemporary and progressive approach we bring to the industry.

Our new look will serve as the foundation stone of our overall goal which is, to be at the forefront of industry change – the go-to specialists. It also represents our aspirations and signals our commitment to innovative thinking, exceptional service and providing an ever-expanding range of quality products.

No company is better positioned to do this. We are a world-class team of individuals whose experience and knowledge gives us unique insights into customer issues and allows us to provide practical, innovative, cost effective product solutions to meet their needs no matter the size or scale of the requirement. By combining our talents and resources we believe we've created something far more powerful for you – a company that offers superior knowledge and expertise, significantly better service and competitive pricing.

We believe our new brand represents a bright future for our customers and, consequently, ourselves.

And as always, we are focused on acting with integrity and putting your interests above all else and ensuring we live up to, and hopefully exceed, your expectations.

Finally from all of our team, we'd like to thank you for your support over the years. We value it highly and are determined to ensure you now receive an even better experience.

Welcome to the new COERCO.

WHAT ARE WE

OUR VISION

To be the supplier of choice to the mining, industrial, commercial, rural and domestic markets, guaranteeing a product of consistent quality manufactured in Australia from high-grade Australian materials.

OUR MISSION

To provide Australia's broadest range of "Engineered Poly Products" that facilitate liquid and dry storage and transport.

WHO ARE WE

We are practical, tough, reliable, and down to earth.

We are customer responsive; prepared to go the extra mile to provide customised solutions that meet specific customer needs.

WHAT DO WE STAND FOR

RESPECT

We work together in a spirit of mutual respect, focus on being the best we can be, and are honest and straight forward in our relationship with customers.

ACCOUNTABILITY

We act with integrity, are transparent in our business dealings and accountable for our actions.

PASSION

We are passionate about ensuring the quality of our products and are uncompromising in our manufacturing processes.

INVENTIVENESS

We are responsive to change and new needs and inventive in the way we create practical, customised solutions.

DELIVERY

We under-promise and over deliver. We perform beyond expectation.

Premium Tank Range

Water Tanks



Features

- One piece construction
- Attractive Heritage design
- Corrugated for strength and traditional appearance
- UV stabilised to withstand our harsh climate
- Durable and impact resistant polyethylene for long life
- Self supporting lid design eliminates need for centre support pole
- Available in all colours (see colour chart on page 7)


Premium Tank Range

Code	Capacity Litres	Capacity Gallons	Diameter	Wall Height	Total Height	Overflow Position	Retail Pricing (inc GST)
RT250	250	55	600	1000	1100	3,6,9 or 12	\$309.10
RT1000	1000	220	1000	1300	1500	3,6,9 or 12	\$512.60
RT2500	2500	550	1400	1750	2000	3,6,9 or 12	\$770.00
RT3500	3500	750	1600	1800	2100	3,6,9 or 12	\$955.90
RT4500	4500	1000	1850	1800	2100	3,6,9 or 12	\$995.50
RT4500S	4500	1000	2400	1050	1400	3,6,9 or 12	\$1,087.90
RT9000	9000	2000	2400	2050	2400	3,6,9 or 12	\$1669.80
RT9000S	9000	2000	2950	1400	1800	3,6,9 or 12	\$1,782.00
RT9500	9500	2100	2600	1800	2150	3,6,9 or 12	\$1,826.00
RT13500	13500	3000	2950	1900	2300	3,6,9 or 12	\$2,116.40
RT22500	22500	5000	3550	2350	2950	3,6,9 or 12	\$2,882.00
RT32000	32000	7000	3950	2450	3100	3,6,9 or 12	\$4,062.30
RT45000	45000	10000	Tank Combination (2 x RT22500) Tank Combination (2 x RT32000)				\$5,659.50
RT64000	64000	14000					\$7,970.60

*Conditions Apply



**PVC Mesh
Overflow**



Ball Valve



**Twist Lock Manhole
Cover**



Brass Outlet

Tank Ordering Check List:

1. Dimensions of rainwater tank?
2. Fittings supplied with tank?
3. Position of fittings?
4. Selected tank colour?
5. Other accessories required?
6. Clearance available at property (large tanks only)?
7. Clear directions for truck driver (large tanks only)?
8. Specified ideal time frame for requiring tank?

Optional Extra's



Brass Inlet



**Leaf Strainer
& Cover**

Choosing A Tank

Water Tanks

The installation of a large as possible rainwater tank and harvesting the rainwater that falls on your roof will minimize the impact of water shortages!

Tank choice checklist

Follow these easy steps to choose the tank that's right for your needs!

1

Calculate your likely annual usage from the Average household and garden water requirements tables.

Average household water requirements

Application	1 Person	2 Person	4 Person	Usage	No. of Days	Litres
Daily Use*	250lt	360lt	650lt		365	
Washing Machine	120lt	130lt	150lt			
Dishwasher	35lt	35lt	35lt			
*Daily use includes bath, toilet, cleaning teeth etc.						Total Litres

Average garden water requirements

Application	Garden Only	Garden & Lawn	Usage	No. of Days	Litres
Daily Use*	135lt	355lt		365	
Washing Machine	150lt	495lt			
Dishwasher	165lt	1125lt			
					Total Litres

Guidelines

Application	Gallon	Litres
One Person	50/dy	250/dy
Two Person	80/dy	360/dy
Three Person	145/dy	435/dy
Shower	200/hr	15/min
Fill Bath	30gal	140ltr
Flush Toilet	1-3gal	5-15ltr
Sprinklers	180/hr	14/min
1/2" Tap @ 20psi	600/hr	45/min
3/4" Tap @ 20psi	1000/hr	75/min
Cattle per day	10-20	45-90
Milking Cows	30-40	135-180
Sheep/Pigs	1-2	4-9

Water Catchment

Roof Area	250mm	500mm	750mm	1000mm
36m ²	9000	18000	27000	36000
50m ²	12500	25000	37500	50000
100m ²	25000	50000	75000	100000
150m ²	37500	75000	112500	150000
200m ²	50000	100000	150000	200000
300m ²	75000	150000	225000	300000
400m ²	100000	200000	300000	400000
500m ²	125000	250000	375000	500000

2

Using the water catchment table and the average rainfall, calculate the amount of rainwater captured.



An important feature of Coerco tanks is **one piece construction** roof and walls are moulded as one with no joins seams or parts lines down the walls. At no stage is the roof cut off and screwed back on.

3

Now you can check your intended usage against the average catchment.

4

Identify your proposed tank and measure the space and height available.



Premium Tank Range (Page 4)

Code	Capacity Litres	Capacity Gallons	Diameter	Wall Height	Total Height	Overflow Position	Retail Pricing (inc GST)
RT250	250	55	600	1000	1100	3,6,9 or 12	\$309.10
RT1000	1000	220	1000	1300	1500	3,6,9 or 12	\$512.60
RT2500	2500	550	1400	1750	2000	3,6,9 or 12	\$770.00
RT3500	3500	750	1600	1800	2100	3,6,9 or 12	\$955.90
RT4500	4500	1000	1850	1800	2100	3,6,9 or 12	\$995.50
RT4500S	4500	1000	2400	1050	1400	3,6,9 or 12	\$1,087.90
RT9000	9000	2000	2400	2050	2400	3,6,9 or 12	\$1669.80
RT9000S	9000	2000	2950	1400	1800	3,6,9 or 12	\$1,782.00
RT9500	9500	2100	2600	1800	2150	3,6,9 or 12	\$1,826.00
RT13500	13500	3000	2950	1900	2300	3,6,9 or 12	\$2,116.40
RT22500	22500	5000	3550	2350	2950	3,6,9 or 12	\$2,882.00
RT32000	32000	7000	3950	2450	3100	3,6,9 or 12	\$4,062.30
RT45000	45000	10000	Tank Combination (2 x RT22500) Tank Combination (2 x RT32000)				\$5,659.50
RT64000	64000	14000					\$7,970.60








Flat Walled Tanks (Page 8)

Code	Capacity Litres	Capacity Gallons	Diameter	Wall Height	Total Height	Retail Pricing (inc GST)
JRR720	720	160	800	1500	1600	\$480.70
JRR5300	5300	1170	1800	2000	2150	\$1,199.00
JRR10500	10500	2300	2495	2400	2450	\$2,246.20
JRR14000	14000	3100	2495	3000	3100	\$2,310.00
JRR25000	25000	5500	3950	1950	2590	\$3,056.90
JRR28000						\$3,399.00
JRR50000	50000	11,100	4600	2900	3450	\$7,395.30

Mini Rib Tanks (Page 9)

Code	Capacity Litres	Capacity Gallons	Diameter	Wall Height	Total Height	Retail Pricing (inc GST)
RMT250	250	55	500	1500	1620	\$301.40
RMT750	750	165	800	1660	1800	\$492.80
RMT1250	1250	275	1000	1800	1920	\$638.00
RMT2200	2200	485	1200	1920	2050	\$781.00
RMT5000	5000	1110	1900	1800	2050	\$1,141.80

Slimline Tanks (Page 10)

Code	Details	Dimensions	Wall Height	Total Height	Retail Pricing (inc GST)
RTS620	620LTR Slimline Tank	 1400 750	600	850	\$539.00
RTS800	800LTR Slimline Tank	 1200 600	1300	1450	\$566.50
RTS1075	1075LTR Slimline Tank	 1480 600	1580	1750	\$744.00
RTS1500	1500LTR Slimline Tank	 1350 900	1800	2000	\$746.90
RTS1550	1550LTR Slimline Tank	 1500 800	1700	1800	\$809.60
RTS1600	1600LTR Slimline Tank	 1500 800	1750	1900	\$772.00
RTS3000	3000LTR Slimline Tank	 2500 800	1900	2050	\$1,375.00

Standard Tank ColoursMist Green
(Pale Eucalypt[®])Wheat
(Harvest[®])Heritage Green
(Cottage Green[®])Mountain Blue
(Deep Ocean[®])Slate Grey
(Woodland Grey[®])Rivergum
(Wilderness[®])

Beige

Smooth Cream
(Classic Cream[™])Heritage Red
(Manor Red[®])Merino
(Paperbark[®])

Torris Blue

Black
(Night Sky[™])

Optional COLORBOND[®] colours are available but may be subject to surcharge and/or delivery delay. Due to printing differences, some colours may vary. COLORBOND[®] and colour names are registered trademarks of Blue Scope Steel Ltd. [™]Colour names are trademarks of Blue Scope Steel Ltd. Rapid Plastics colours represented match COLORBOND[®] steel colours.

Flat Walled Tanks

Water Tanks



Features

- One piece construction
- Sturdy, Reliable and built to last
- UV Stabilised to withstand our harsh climate
- Supplied with screw in lid, overflow, outlet and ball valve
- Self supporting lid design
- Manufactured in guidance with Australian standards
- Available all colours (see colour chart on page 7)

Flat Walled Tanks

Code	Capacity		Diameter	Wall Height	Total Height	Retail Pricing (inc GST)
	Litres	Gallons				
JRR720	720	160	800	1500	1600	\$480.70
JRR5300	5300	1170	1800	2000	2150	\$1,199.00
JRR10500	10500	2300	2495	2400	2450	\$2,246.20
JRR14000	14000	3100	2495	3000	3100	\$2,310.00
JRR25000	25000	5500	3950	1950	2590	\$3,056.90
JRR28000	28000	6100	3950	2000	2420	\$3,399.00
JRR50000	50000	11,100	4600	2900	3450	\$7,395.30

*Conditions Apply

Mini Rib Tanks

Water Tanks



Features

- Attractive corrugated minirib design for urban style
- Fully UV Stabilised
- Flexible overflow and outlet positions
- Manufactured in guidance with Australian Standards
- Available in all colours (see colour chart on page 7)

Mini Rib Tanks

Code	Capacity		Diameter	Wall Height	Total Height	Retail Pricing (inc GST)
	Litres	Gallons				
RMT250	250	55	500	1500	1620	\$301.40
RMT750	750	165	800	1660	1800	\$492.80
RMT1250	1250	275	1000	1800	1920	\$638.00
RMT2200	2200	485	1200	1920	2050	\$781.00
RMT5000	5000	1110	1900	1800	2050	\$1,141.80

*Conditions Apply

Slimline Tanks

Water Tanks



Features

- Attractive space saving design
- Ideal for under eave line or pathway situations
- Manufactured in guidance with Australian standards
- Available in all colours (refer to page 7)
- Stand available for RTS800 (refer Tankstands section)

Slimline Tanks

Code	Details	Dimensions	Wall Height	Total Height	Retail Pricing (inc GST)
RTS620	620LTR Slimline Tank	1400 750	600	850	\$539.00
RTS800	800LTR Slimline Tank	1200 600	1300	1450	\$566.50
RTS1075	1075LTR Slimline Tank	1480 600	1580	1750	\$744.00
RTS1500	1500LTR Slimline Tank	1350 900	1800	2000	\$746.90
RTS1550	1550LTR Slimline Tank	1500 800	1700	1800	\$809.60
RTS1600	1600LTR Slimline Tank	1500 800	1750	1900	\$772.00
RTS3000	3000LTR Slimline Tank	2600 800	1900	2050	\$1,375.00

Standard Fittings



PVC Mesh Overflow



Leaf Strainer



Bib Cock




25mm Brass Outlet



Poly Lid

Underground Water Storage Tanks

Water Tanks



UR T3500



UR T4000



UR T7000



UR T11000



UR T15000



UR T19000

Product images are a close guide only and may not represent actual product.

“Under Site - Out of Mind”

- A very neat package for collecting roof rain-water, filtering it and storing it underground, available on demand with no noise, out of sight, simple operation. Also available is a watermark approved changeover device upon request.

Features:

- Fully tested one piece tough poly tank
- Sealed lid reduces the possibility of anyone falling into tank
- Stainless Steel Submersible Pump with Automatic mains water Change Over Device (optional)



UR T23000

Underground Tank Range

Code	Description	Retail Pricing (inc GST)
UR T3500	3500 Litre Underground Tank including lid	\$2,942.50
UR T4000	4000 Litre Underground Tank including lid	\$3,301.10
UR T7000	7000 Litre Underground Tank including lid	\$5,079.80
UR T11000	11,000 Litre Underground Tank including lid	\$9,131.10
UR T15000	15,000 Litre Underground Tank including lid	\$12,254.00
UR T19000	19,000 Litre Underground Tank including lid	\$17,300.80
UR T23000	23,000 Litre Underground Tank including lid	\$21,358.70

Tank Fittings and Accessories

Tank Fittings and Accessories




Earth Rings

Features

- UV Stabilised poly earth ring designed to elevate any tank with applicable diameter
- Simply set up, fasten together and fill with sand to the top
- 600mm high and available to suit tanks with diameter 1000mm - 3950mm

Earth Rings

Code	Description (mm)	Retail Pricing (inc GST)
ER250	Earth ring 600mm high to suit tank diameter of 600mm	\$222.20
ER1000	Earth ring 600mm high to suit tank diameter of 1000mm	\$259.60
ER2500	Earth ring 600mm high to suit tank diameter of 1400mm	\$301.40
ER3500	Earth ring 600mm high to suit tank diameter of 1600mm	\$336.60
ER4500	Earth ring 600mm high to suit tank diameter of 1850mm	\$390.50
ER9000	Earth ring 600mm high to suit tank diameter of 2400mm	\$631.40
ER9500	Earth ring 600mm high to suit tank diameter of 2600mm	\$679.80
ER13500	Earth ring 600mm high to suit tank diameter of 2950mm	\$716.10
ER22500	Earth ring 600mm high to suit tank diameter of 3550mm	\$768.90
ER32000	Earth ring 600mm high to suit tank diameter of 3950mm	\$811.80



Combo Tank Joiner Kit

Combo Tank Joiner Kits

Code	Description	Retail Pricing (inc GST)
TJK-01	Combo Tank Joiner Kit - includes 3mtrs 40mm hose & fittings to connect 2x Poly tanks at base	\$151.80

Tank Fittings and Accessories

Tank Fittings and Accessories



Pump Covers

Features


- Will provide full weather protection of any pump not exceeding dimensions in table below
- Available in all tank colours (see colour chart on page 5 - Water Tanks section)

Pump Covers

Code	Description (mm)	Retail Pricing (inc GST)
RTPC-1	All weather poly pump cover - small - 770(L) x 470(W) x 550(H)	\$137.50
RTPC-2	All weather poly pump cover - large - 670(L) x 550(W) x 700(H)	\$159.50
RTPC-3	All weather poly pump cover - economy - 690(L) x 590(W) x 600(H)	\$108.90



RTPC-1



RTPC-2



RTPC-3





Features

- Collects the first 70 litres of sedimented run-off, keeping it from entering the main tank
- Simple and effective operation, easy to fit to your Coerco tank
- Available in all tank colours (see colour chart on page 5 - Water Tanks section)

Water Diverters

Code	Description	Retail Pricing (inc GST)
RT70WD	First Flush Water Diverter - 70L	\$260.70



Tank Fittings and Accessories

Tank Fittings and Accessories



Dipstick (TAL-7)

- Out of reach of animals
- 360° all round visibility
- Great for 'Cup & Saucer' Tanks



Levetator (TAL-9)

- Shows actual water level
- Trouble free use
- Easy to install



Liquidator (TAL-10)

- Ideal for chemical tanks, only the float is in contact with liquid
- Captive guided indicator, isn't bothered by wind or other disturbances



Liquidator 2 (TAL-12)

- Suitable for tanks up to 3mtr
- True reading with high visibility
- Simple to Install



(TAL-13)

- Quick and easy to install
- No batteries or wiring required
- Low maintenance requirements
- UV resistant

Tank Level Gauges

Code	Description	Retail Pricing (inc GST)
TAL-7	"Dip-stick" tank level gauge	\$240.90
TAL-9	"Levetator" tank level gauge	\$150.70
TAL-10	"Liquidator" tank level gauge	\$192.50
TAL-12	"Liquidator 2" tank level gauge	\$216.70
TAL-13	Tank level monitor	\$42.90



Poly Tank Fittings

- Available in 6 sizes
- Manufactured from UV Stabilised Glass Fibre Reinforced Nylon giving a weather, termite, fungi and bacterial resistance



Brass Tank Fittings

- Brass tank fittings have internal & external threads (25-50mm)
- Locking nut is left hand thread for secure fit. Doesn't come loose when fitting valves etc

Tank Fittings

Code	Description	Retail Pricing (inc GST)
COMP-19-02	25mm (1") Poly Fitting	\$11.00
COMP-19-03	32mm (1 1/4") Poly Fitting	\$18.70
COMP-19-04	40mm (1 1/2") Poly Fitting	\$23.10
COMP-19-05	50mm (2") Poly Fitting	\$27.50
COMP-19-06	80mm (3") Poly Fitting	\$96.80
COMP-19-07	100mm (4") Poly Fitting	\$129.80
COMP-01-01	25mm (1") Brass Fitting	\$33.00
COMP-01-02	32mm (1 1/4") Brass Fitting	\$36.30
COMP-01-03	40mm (1 1/2") Brass Fitting	\$37.40
COMP-01-04	50mm (2") Brass Fitting	\$47.30
COMP-01-05	80mm (3") Brass Fitting	\$139.70
COMP-01-06	100mm (4") Brass Fitting	\$243.10

Small Domestic Tank Stands

Tank Stands



Features

- Tank stands are designed to suit 800 litre slimline tank and 1000 litre storage tank. (refer pages 2-8 - Water Tanks section)
- Strong Galvanised construction
- Fully supports tank
- Made to last

Small Domestic Tank Stands

Code	Description	Retail Pricing (inc GST)
GTS1000	Galvanised tank stand - suits (RT1000) - (850L x 850W x 550H)	\$311.30
GTS800	Galvanised tank stand - suits (RTS800) - (1050L x 550W x 550H)	\$269.50

Large Tank Stands

Tank Stands



Features

- These tank stands are engineered to carry the imposed loads of the size tank specified, in most areas of Western Australia.
- Their suitability should be confirmed in cyclonic or earthquake zones before ordering.
- Tank stands in larger sizes, to suit larger tanks, or for substances other than water are available.
- Available in wide range of sizes and configured with either bolt down or concrete footing uprights
- All Galvanised material used in manufacturing
- Safety ladders and railwork available on request
- Large load ratings (Cyclone etc)
- Statewide delivery available



Industrial Tank Stands

Code	Description	Retail Pricing (inc GST)
ITS500-06	600mm high - (suits tank diameter up to 1400mm)	Please enquire for latest pricing
ITS500-18	1800mm high - (suits tank diameter up to 1400mm)	
ITS500-30	3000mm high - (suits tank diameter up to 1400mm)	
ITS500-36	3600mm high - (suits tank diameter up to 1400mm)	
ITS500-45	4500mm high - (suits tank diameter up to 1400mm)	
ITS500-50	5000mm high - (suits tank diameter up to 1400mm)	
ITS1000-06	600mm high - (suits tank diameter up to 1850mm)	
ITS1000-18	1800mm high - (suits tank diameter up to 1850mm)	
ITS1000-30	3000mm high - (suits tank diameter up to 1850mm)	
ITS1000-36	3600mm high - (suits tank diameter up to 1850mm)	
ITS1000-45	4500mm high - (suits tank diameter up to 1850mm)	
ITS1000-60	6000mm high - (suits tank diameter up to 1850mm)	
ITS1000-70	7000mm high - (suits tank diameter up to 1850mm)	
ITS2000-06	600mm high - (suits tank diameter up to 2600mm)	
ITS2000-18	1800mm high - (suits tank diameter up to 2600mm)	
ITS2000-30	3000mm high - (suits tank diameter up to 2600mm)	
ITS2000-36	3600mm high - (suits tank diameter up to 2600mm)	
ITS2000-45	4500mm high - (suits tank diameter up to 2600mm)	
ITS2000-60	6000mm high - (suits tank diameter up to 2600mm)	
ITS2000-70	7000mm high - (suits tank diameter up to 2600mm)	
ITS5000-06	600mm high - (suits tank diameter up to 3550mm)	
ITS5000-18	1800mm high - (suits tank diameter up to 3550mm)	
ITS5000-30	3000mm high - (suits tank diameter up to 3550mm)	
ITS5000-36	3600mm high - (suits tank diameter up to 3550mm)	
ITS5000-45	4500mm high - (suits tank diameter up to 3550mm)	
ITS5000-50	5000mm high - (suits tank diameter up to 3550mm)	

Pool Tubs



10,000Ltr



5,000Ltr

Pool Kit



Features

These poly aquaculture tanks are all made from food grade virgin poly with smooth internal surfaces - no loose fibres or harmful substances for your children.

They are light weight and resilient and easily relocated.
Pool Kits Available

Poly Tubs

Code	Description (mm)	Retail Pricing (inc GST)
AT250	Poly Tub - 250 Ltr - (1000D X 450H)	\$221.10
AT500	Poly Tub - 500 Ltr - (1300D X 500H)	\$328.90
AT1000	Poly Tub - 1000 Ltr - (1650D X 600H)	\$480.70
AT1000T	Poly Tub (Tall) - 1000 Ltr - (850H X 1350D)	\$480.70
AT1500	Poly Tub - 1500 Ltr - (2000D X 650H)	\$724.90
AT2000	Poly Tub - 2000 Ltr - (2300D X 650H)	\$829.40
AT3000	Poly Tub - 3000 Ltr - (2300D X 950H)	\$965.80
AT5000	Poly Tub - 5000 Ltr - (2700D X 1000H)	\$1,289.20
AT5000S	Poly Tub - Sump Drain - 5000 Ltr - (2700D X 1000H)	\$1,289.20
AT5000BASE	Poly Tub Base To Suit (AT5000) - (2700D X 300H)	\$949.30
AT9000	Poly Tub - 9000 Ltr - (3500D X 1000H)	\$1,843.60
AT9000S	Poly Tub - Sump Drain - 9000 Ltr - (3500D X 1000H)	\$1,843.60
AT9000BASE	Poly Tub Base To Suit (AT9000) - (3300D X 350H)	\$1,872.20
AT10000	Poly Tub - 10,000 Ltr - (3450D X 1300H)	\$2,080.10
AT10000S	Poly Tub - Sump Drain - 10,000 Ltr - (3450D X 1300H)	\$2,080.10
AT10000BASE	Poly Tub Base To Suit (AT10000) - (3500D X 350H)	\$1,962.40

Please note these tubs are the same as the Coerco Aquaculture Tubs Shown in our Agriculture Catalogue

Pool Kit

Code	Description (mm)	Retail Pricing (inc GST)
AT-PK01	Kits Include: Pump, Skimmer & Filter, 2 x Return Jets, Chlorinator, 2 x Bags of Salt, Scoop & Pole, Brush, Test Kit, Thermometer	\$1,892.00

*In Western Australia, the design, construction and installation of private swimming and spa pools and their safety barriers is subject to strict building requirements under the Building Regulations 2012 (the Regulations). Owners and occupiers also have ongoing legal obligations to maintain their safety barriers at all times. All private swimming and spa pools that contain water that is more than 300 mm deep must have a compliant barrier installed that restricts access by young children to the pool and its immediate surrounds.

Septic Tanks

Septic Systems



SEP-1450



SEP-2200



SEP-4000 (Baffled)

Features

- Lightweight, easy to transport and install
- Manufactured from durable polyethylene
- Anti floatation ring and ribbing incorporated into design
- Certified to Australia Standard AS/NZS1456.1 and approved by Department of Health - WA
- Supplied as complete kit including lid, inlet & outlet 'T' pieces
- Leach Drain systems also available (see next page)


Septic Tanks

Code	Description (mm)	Retail Pricing (inc GST)
SEP-1450	1,450ltr Septic Tank (1250D x 1500H)	\$760.10
SEP-2200	2,200ltr Septic Tank (1540D x 1500H)	\$794.20
SEP-4000	4,000ltr Baffled Septic Tank (2200D x 1770H)	\$1,570.80



Leach Drain Systems

Septic Systems



Features

- 100% recycled
- Light weight
- Modular
- 95% void area
- Strong
- Service temperature, -20oC – 120oC
- Polypropylene
- Flat pack form

Benefits

- Environmentally friendly
- Simple to install
- Trafficable
- Cost effective
- Chemically inert
- Not affected by mould or algae
- UV stabilised
- Water saving
- 100% recyclable



Coerco's leach drain systems are design to integrate efficiently with our septic tank units although can be utilised in any waste water situation requirement that requires a leaching system. Manufactured from strong light weight polypropylene they are an easy to install cost effective solution for effluent waste issues. They are flat packed for easy and efficient logistics. The systems are very flexible with a range of configurations for every individual requirement and designed to meet strict industry regulations and standards.

Leach Drain Systems

Code	Description	Retail Pricing (inc GST)
RS-LD500	5.00Mtr (Includes 22 Large Panels, 21 Small Panels & Geocloth 6.0M X 2M)	\$246.40
RS-LD572	5.72Mtr (Includes 25 Large Panels, 24 Small Panels & Geocloth 7.0M X 2M)	\$287.10
RS-LD643	6.43Mtr (Includes 28 Large Panels, 27 Small Panels & Geocloth 7.5M X 2M)	\$365.20
RS-LD786	7.86Mtr (Includes 34 Large Panels, 33 Small Panels & Geocloth 9.0M X 2M)	\$403.70
RS-LD858	8.58Mtr (Includes 37 Large Panels, 36 Small Panels & Geocloth 10M X 2M)	\$443.30
RS-LD930	9.30Mtr (Includes 40 Large Panels, 39 Small Panels & Geocloth 10.5M X 2M)	\$480.70
RS-LD1000	10.00Mtr (Includes 43 Large Panels, 42 Small Panels & Geocloth 11M X 2M)	\$559.90
RS-LD1144	11.44Mtr (Includes 49 Large Panels, 48 Small Panels & Geocloth 12.5M X 2M)	\$599.50
RS-LD1287	12.87Mtr (Includes 55 Large Panels, 54 Small Panels & Geocloth 14.0M X 2M)	\$639.10
RS-LD1358	13.58Mtr (Includes 58 Large Panels, 57 Small Panels & Geocloth 15.0M X 2M)	\$716.10
RS-LD1430	14.30Mtr (Includes 61 Large Panels, 60 Small Panels & Geocloth 15.5M X 2M)	\$757.90
RS-LD1501	15.01Mtr (Includes 64 Large Panels, 63 Small Panels & Geocloth 16.0M X 2M)	\$797.50
RS-LD1573	15.73Mtr (Includes 67 Large Panels, 66 Small Panels & Geocloth 17.0M X 2M)	\$836.00
RS-LD1644	16.44Mtr (Includes 70 Large Panels, 69 Small Panels & Geocloth 17.5M X 2M)	\$874.50
RS-LD1716	17.16Mtr (Includes 73 Large Panels, 72 Small Panels & Geocloth 18.5M X 2M)	\$915.20
RS-LD1787	17.87Mtr (Includes 76 Large Panels, 75 Small Panels & Geocloth 19.0M X 2M)	\$953.70
RS-LD1859	18.59Mtr (Includes 79 Large Panels, 78 Small Panels & Geocloth 20.0M X 2M)	\$992.20
RS-LD1930	19.30Mtr (Includes 82 Large Panels, 81 Small Panels & Geocloth 20.5M X 2M)	\$1,032.90
RS-LD2002	20.02Mtr (Includes 85 Large Panels, 84 Small Panels & Geocloth 21.0M X 2M)	\$1,056.00
RS-LD2073	20.73Mtr (Includes 88 Large Panels, 87 Small Panels & Geocloth 22.0M X 2M)	\$1,071.40
RS-LD2145	21.45Mtr (Includes 91 Large Panels, 90 Small Panels & Geocloth 22.5M X 2M)	\$1,109.90
RS-LD2216	22.16Mtr (Includes 94 Large Panels, 93 Small Panels & Geocloth 23.5M X 2M)	\$1,151.70
RS-LD2288	22.88Mtr (Includes 97 Large Panels, 96 Small Panels & Geocloth 24M X 2M)	\$1,191.30
RS-LD2359	23.59Mtr (Includes 100 Large Panels, 99 Small Panels & Geocloth 25.0M X 2M)	\$1,228.70
RS-LD2431	24.31Mtr (Includes 103 Large Panels, 102 Small Panels & Geocloth 25.5M X 2M)	\$1,309.00
RS-LD2502	25.02Mtr (Includes 106 Large Panels, 105 Small Panels & Geocloth 26.0M X 2M)	\$1,345.30
RS-LD2574	25.74Mtr (Includes 109 Large Panels, 108 Small Panels & Geocloth 27.0M X 2M)	\$1,375.00
RS-LD2645	26.45Mtr (Includes 112 Large Panels, 111 Small Panels & Geocloth 27.5M X 2M)	\$1,402.50
RS-LD2717	27.17Mtr (Includes 115 Large Panels, 114 Small Panels & Geocloth 28.5M X 2M)	\$1,425.60
RS-LD2788	27.88Mtr (Includes 118 Large Panels, 117 Small Panels & Geocloth 29.0M X 2M)	\$1,466.30
RS-LD2860	28.60Mtr (Includes 121 Large Panels, 120 Small Panels & Geocloth 30.0M X 2M)	\$1,502.60
RS-LD2931	29.31Mtr (Includes 124 Large Panels, 123 Small Panels & Geocloth 30.5M X 2M)	\$1,543.30
RS-LD3003	30.03Mtr (Includes 127 Large Panels, 126 Small Panels & Geocloth 31.0M X 2M)	\$1,585.10
RS-LD3074	30.74Mtr (Includes 130 Large Panels, 129 Small Panels & Geocloth 32.0M X 2M)	\$1,621.40
RS-LD3146	31.46Mtr (Includes 133 Large Panels, 132 Small Panels & Geocloth 32.5M X 2M)	\$1,641.20
RS-LD3217	32.17Mtr (Includes 136 Large Panels, 135 Small Panels & Geocloth 33.5M X 2M)	\$1,675.30
RS-LD3289	32.89Mtr (Includes 139 Large Panels, 138 Small Panels & Geocloth 34.0M X 2M)	\$1,701.70
RS-LD3360	33.60Mtr (Includes 142 Large Panels, 141 Small Panels & Geocloth 35.0M X 2M)	\$1,741.30
RS-LD3432	34.32Mtr (Includes 145 Large Panels, 144 Small Panels & Geocloth 35.5M X 2M)	\$1,780.90
RS-LD3503	35.03Mtr (Includes 148 Large Panels, 147 Small Panels & Geocloth 36.0M X 2M)	\$1,820.50
RS-LD3575	35.75Mtr (Includes 151 Large Panels, 150 Small Panels & Geocloth 37.0M X 2M)	\$1,860.10
RSLD-CELL33	Leach Drain Cell (3 X Large And 3 X Small Panels) - 715 (L) X 400 (W) X 440 (H) Mm	\$33.00
RSLD-CELL43	Leach Drain Cell (4 X Large And 3 X Small Panels) - 715 (L) X 400 (W) X 420 (H) Mm	\$38.50

Coerco

Watertight Storage & Delivery

Product Benefits

Coerco products are manufactured from the highest food grade material conforming to Australian standards. These products are strong, lightweight, UV resistant and exceptionally durable.

Product Specifications

All specifications are subject to change in line with on-going improvements.

Pricing Includes GST

All prices specified include GST and are subject to change without notice.

Product Design Protection

Many of Coerco products are subject of an Australian Patent and pending design registration.

Sizes

All sizes, measurements and capacities throughout this brochure are only approximate due to the variable shrinkage nature of polyethylene during manufacture.

Placing Your Order

We have a diverse network of distributors throughout Western Australia. Contact your local Coerco agent or call us on 1800 646 277.

Product Returns

All products returned for credit must be in "As New" condition and are subject to a 15% restocking fee and a return freight cost.

Warranty

All our products are guaranteed against faulty workmanship and carry a warranty.

Minimum Orders

Any order under \$55 including GST is subject to a postage and handling fee of \$16.50 including GST.

Disclaimer

All recommendations within this sales catalogue are intended as suggestions only. Coerco does not take any responsibility for the suitability of any product for the use it is given. Product images are a close guide only and may not represent actual product.

Trademarks & Copyright

© Coerco 2017. This publication is copyrighted to Coerco.

Delivery Requirements

Please be aware that our truck and trailer combinations require clearance of 20 metres long, 3.5 metres wide and 5 metres high. Clear access on roads, lane ways, through gateways, crossings and trees are essential to ensure safe delivery of your tank / products without damage.

If a driver cannot reach the location the tank/s will be left at the closest practical position. Large tanks can be delivered direct to property where there is a properly made road and large turning area available. It is the owners responsibility to provide clear access to site.

Placement of tanks above 9,500ltr on pad needs customer assistance, eg. three persons (not including driver) required to place 22,500 - 50,000ltr tanks. It is the customers responsibility to ensure there is adequate assistance available. Special conditions and costs may apply to delivery of 50,000Ltr poly storage tanks based on their specific delivery locations.

Freight

Zone 1: Freight is free to property (access permitting) for tanks above 9000Ltr, alternatively freight is free to your nearest distributor. *Conditions apply.

Zone 2: Apply for competitive quotation.

Installation

Entry to tank not required when installing. Never enter a tank alone, always have an attendant standing by.

Restricted Space - only enter after carrying out a risk assessment.


A firm solid base, either 75-100mm (3-4") of sand or a concrete slab must be provided to support the tank fully. Sand base should extend out at least 300mm (12") past side walls of tank with a timber or similar edging to prevent erosion. If a tank stand is being used, decking should be no more than 50mm (2") apart. When plumbing up, a flexible hose with a length of approx. 300mm (12") should be used from the ball valve to absorb any shocks or movements. Overflow should be piped well clear of the tank to avoid any undermining of base. If tank is placed on a stand, support pipe work off the stand, never support pipe work off the tank.

The tank site must be level and flat, the area well compacted and free from any rocks, stones and sharp objects. Ensure that the tanks site is at least 600mm (24") larger in diameter than the tank.

Either a 75mm (3") compacted sand base, or other consolidated fill i.e. crusher dust, may be used as a tank pad. A concrete pad is also acceptable and must be greater than the diameter of the tank.

If a compact sand base or other consolidated fill is used, a retaining wall or surround must be provided to prevent erosion. The overflow must be piped well clear of the tank to avoid undermining of the tank base.

Ensure that a flexible hose of at least 300mm (12") is installed after the tank valve to absorb any shocks or movement. Failure to install properly will void warranty.



Notes

[illegible]

Notes

[illegible]

Notes



A series of horizontal lines for taking notes, spanning the width of the page below the header.

